



**Stone
and Brick**

2022

Building memories for 70 years

Since 1952, Permacon has worked hand in hand with customers to create unique exteriors that exceed their wildest dreams.

Offering incredible products of unrivaled quality, Permacon is at the heart of 70 years of experience and professionalism as well as many fond memories. Warm homes, silent witnesses to all those “first times”.

Permacon also represents the promise of an unmatched durability at the centre of many happy moments to come!

70

Imagine your dream outdoor space becoming a reality thanks to our inspirations and product line.



Stone
16

- 18 Aria
- N** 20 Dominion
- 22 Lafitt Alto
- 24 Lafitt
- 26 Lamina
- 28 Lexa
- 30 Lineart
- 32 Maestro
- 34 Mondrian

Brick
36

- 38 Cardin
- 40 Cinco Plus
- 41 Cinco Plus Stone
- 42 Melville Norman
- 44 Melville Slik

Miscellaneous
46

- 46 Accessories
- 48 Tools
- 50 Warranty

An elegant distinction.



Mondrian Stone
Range Scandina Grey
P 34



Lafitt Stone
 Range Chambord Grey with Rockland
 Black insertion P 24

Cinco Plus Brick
 Range Chambord Grey
 P 40



Lafitt Stone
 Range Chambord Grey with Rockland
 Black insertion P 24

Cinco Plus Brick
 Range Chambord Grey
 P 40



Lexa Stone
Cameo Beige
P 28



Aria Stone
Heron
P 18



Maestro Stone
Rockland Black
P 32

One simple question will guide you through our two collections:

Smooth or textured finish?



- A timeless look incorporating fine lines
- A natural prestige, vibrant with rich, monochromatic colours
- Straight edges offering a beautiful contemporary touch



- The authentic, classic elegance of cut stone
- The charm and nobility of raw materials
- A variety of subtle, sophisticated tones



Permacon's masonry products, the very best in exterior cladding



A solid investment

Reasonable initial costs that can be amortized over many years, no maintenance and an increase in property value in the eyes of future buyers, thanks to quality materials and timeless style.



Better soundproofing for your house

Thanks to their higher density, concrete products provide better soundproofing than other exterior cladding materials. Traffic noise and noisy neighbours are problems of the past.



Increased energy efficiency

Choosing a concrete product for your home's wall construction helps improve its thermal performance, letting you enjoy a warm house in winter and a cool one in summer.



Inspiration

Contemporary, classic, rustic or country... Whatever style you prefer, you will need to choose the bricks and stones that give your home the desired effect. Think about colour, length, texture and even possible combinations of materials.



Materials that stand the test of time

Is there anything tougher than brick or stone? Able to resist the elements and harsh winters, they are non-combustible and almost indestructible. You can rest easy, knowing that your home is protected for many, many years.



Think about cleaning

Once construction is completed, your new masonry must be washed to eliminate any leftover residue. Your home will then be truly impeccable!



Maintenance-free for life

Beauty never ages, and neither does masonry. Your brick or stone cladding will remain beautiful for years and will not require maintenance, painting or repairs.

Bringing masonry projects to life, design that fits your needs, down to the last detail.

Stone


- 18 Aria
- N 20 Dominion
- 22 Lafitt Alto
- 24 Lafitt
- 26 Lamina
- 28 Lexa
- 30 Lineart
- 32 Maestro
- 34 Mondrian



Lafitt Alto Stone Range Scandina Grey - P 22



Aria Stone



- Unit A** 90 mm x 60 mm x var. | 3 1/2" x 2 3/8" x var.
- Unit B** 90 mm x 102 mm x var. | 3 1/2" x 4" x var.
- Unit C** 90 mm x 171 mm x var. | 3 1/2" x 6 3/4" x var.

Visit permacon.ca for all dimensions.

Aria Stone Heron

Heron



Rockland Black



Range
Newport Grey




Blizzard





Dominion Stone



- Unit A** 90 mm x 190 mm x 590 mm | 3 1/2" x 7 1/2" x 23 1/4" (Sold separately)
- Unit B** 90 mm x 290 mm x 590 mm | 3 1/2" x 11 7/16" x 23 1/4" (Sold separately)
- Unit C** 90 mm x 190 mm x 390 mm | 3 1/2" x 7 1/2" x 15 3/8" (Sold separately)

Dominion Stone Limestone

Limestone





Lafitt Alto Stone



Range
Chambord Grey



Range
Margaux Beige



Rockland Black



Range
Newport Grey



Range
Scandina Grey



- Unit A** 90 mm x 102 mm x var. | 3 1/2" x 4" x var.
- Unit B** 90 mm x 178 mm x var. | 3 1/2" x 7" x var.
- Unit C** 90 mm x 292 mm x var. | 3 1/2" x 11 1/2" x var. (Sold separately)

Visit permacon.ca for all dimensions.



Lafitt Stone



Oasis



Range
Amboise Beige



Range
Margaux Beige



Range
Newport Grey



Range
Scandina Grey



Range
Chambord Grey



Rockland
Black



- Unit A** 90 mm x 102 mm x var. | 3 1/2" x 4" x var.
- Unit B** 90 mm x 178 mm x var. | 3 1/2" x 7" x var.
- Unit C** 90 mm x 292 mm x var. | 3 1/2" x 11 1/2" x var. (Sold separately)

Visit permacon.ca for all dimensions.



Lamina Stone



Unit 90 mm x 95 mm x var. | 3 1/2" x 3 3/4" x var.

Visit permacon.ca for all dimensions.

Lamina Stone Range Newport Grey | **Mondrian Stone** Range Scandina Grey P 34

Range
Margaux Beige



Rockland Black



Range
Newport Grey





Lexa Stone



- Unit A** 90 mm x 76 mm x var. | 3 1/2" x 3" x var.
- Unit B** 90 mm x 114 mm x var. | 3 1/2" x 4 1/2" x var.
- Unit C** 90 mm x 198 mm x var. | 3 1/2" x 7 13/16" x var. (Sold separately)

Visit permacon.ca for all dimensions.

Lexa Stone Cameo Beige





Lineart Stone



Unit 90 mm x 194 mm x 600 mm | 3 1/2" x 7 5/8" x 23 5/8"

Visit permacon.ca for all dimensions.

Lineart Stone Rockland Black

Cameo Beige



Sterling Grey



Rockland Black





Maestro Stone



Unit 90 mm x 90 mm x 890 mm | 3 1/2" x 3 1/2" x 35"

Maestro Stone Cameo Beige

Cameo Beige



Sterling Grey



Rockland Black






Mondrian Stone



Blizzard



Range
Amber Beige



Range
Margaux Beige



Range
Newport Grey



Range
Scandina Grey



- Unit A** 90 mm x 76 mm x var. | 3 1/2" x 3" x var.
- Unit B** 90 mm x 114 mm x var. | 3 1/2" x 4 1/2" x var.
- Unit C** 90 mm x 198 mm x var. | 3 1/2" x 7 13/16" x var. (Sold separately)

Visit permacon.ca for all dimensions.

Brick

- 38 Cardin
- 40 Cinco Plus
- 41 Cinco Plus Stone
- 42 Melville Norman
- 44 Melville Slik
- 46 Accessories



Cardin Brick Arctic White - P 38



Cardin Brick



Unit 90 mm x 79 mm x 257 mm | 3 1/2" x 3 1/8" x 10 1/8"



Cardin Brick Arctic White

Arctic
White



Blizzard



Cinco Plus Brick



Cinco Plus Brick Range Scandina Grey

Range
Amboise Beige



Range
Margaux Beige



Range
Newport Grey



Range
Scandina Grey



Range
Chambord Grey



Range
Grey and Black



Range
Lennox Grey



Rockland
Black



Unit 90 mm x 92 mm x var. | 3 1/2" x 3 5/8" x var.

Visit permacon.ca for all dimensions.

Cinco Plus Stone



Cinco Plus Stone Range Newport Grey

Range
Margaux Beige



Range
Newport Grey



Range
Scandina Grey



Range
Chambord Grey



Unit 90 mm x 196 mm x var. | 3 1/2" x 7 23/32" x var.

Visit permacon.ca for all dimensions.

* Range Amboise Beige, Range Grey and Black, Range Lennox Grey and Rockland Black are not available in the Greater Toronto area.



Melville Norman Brick



Unit 90 mm x 57 mm x 290 mm | 3 1/2" x 2 1/4" x 11 7/16"

Melville Norman Brick Sterling Grey

Alpine
Grey



Sterling
Grey




Rockland
Black





Melville Slik Brick



Range
Amber Beige



Range
Margaux Beige



Cameo
Beige



Alpine
Grey



Range
Newport Grey



Range
Scandina Grey



Sterling
Grey



Range
Chambord Grey



Range
Vintage Brown



Rockland
Black



Unit A 90 mm x 79 mm x 257 mm | 3 1/2" x 3 1/8" x 10 1/8"
Unit B 90 mm x 79 mm x 257 mm / 212 mm | 3 1/2" x 3 1/8" x 10 1/8" / 8 3/8"






Accessories




Limestone



smooth  **Dominion Jamb**
90 mm x 257 mm x 914 mm | 3 1/2" x 10 1/8" x 36"



smooth  **textured**  **Reversible Dominion Window Sill**
145 mm x 75 mm x 914 mm | 5 11/16" x 3" x 36"



Smooth
Off-White



Smooth
Sterling Grey



Smooth
Rockland Black



Chiselled
Off-White




Chiselled
Sterling Grey




Chiselled
Rockland Black



textured  **Cardiff Window Sill - Chiselled**
150 mm x 79 mm x 948 mm | 5 7/8" x 3 1/8" x 37 3/8"



smooth  **Cardiff Window Sill - Smooth**
150 mm x 79 mm x 948 mm | 5 7/8" x 3 1/8" x 37 3/8"



← **Cardiff Window Sill - Chiselled** Off-White | **Mondrian Stone** Range Scandina Grey P 34

A Full Experience For Professionals

As Canada's leading manufacturer of masonry products, we strive to ensure that all architects, designers and construction professionals can work hand-in-hand with Permacon to facilitate the creation of their residential, commercial, industrial and institutional projects.

Add the colours and textures that are unique to Permacon bricks and stones and you are all done!



We have teamed up with BIMsmith to help you more easily integrate Permacon products and combinations into your design software.



The new Permacon BIM library will give you access to a variety of technical information. A completely free platform for professionals to search, configure and download BIM objects for our masonry products. Now, it's easier than ever to bring what you have in mind to life. You can also use BIMsmith Forge, a tool that allows an easy configuration of complete assemblies. Create your project from scratch or choose from one of our model assemblies and save time!

Our other professional tools that we have developed are always available on SketchUp, AutoCAD, Autodesk and other commonly used 3D design and rendering software.



Inspiration



Samples



Visualization

Follow us



TOOLS AVAILABLE AT permacon.ca



VISUALIZER TOOL
Create, dare, change, start again... in complete freedom!
permacon.ca/visualizer



INSPIRATION
Let yourself be inspired by our gallery of projects
permacon.ca/inspirations/masonry



50 Year Warranty

Masonry Products





Permacon's 50-year warranty applies to landscape and masonry products including Suretouch intended for residential use¹. This warranty statement affirms that products manufactured by Permacon meet or exceed the requirements of the CSA (Canadian Standard Association) and ASTM (American Society for Testing and Materials) standards.

For details regarding commercial applications, please refer to our institutional, commercial and industrial warranty.

Permacon guarantees that, as of the date of delivery, our concrete products are free from manufacturing defects. Provided that the conditions set forth below are met, Permacon guarantees the structural integrity of the concrete in its landscaping and masonry products for a period of 50 years from the date of the product's purchase. The warranty applies to normal, non-abusive use of the product. To preserve the original appearance of your products, we recommend that you consult our *Preventive Maintenance Guide for Concrete Landscaping Products* available on our website.

IN ALL CASES DETAILED BELOW, THE WARRANTY IS LIMITED TO THE PRODUCTS' MARKET VALUE.

How do I make a claim?

 **1-888-PERMACON (1-888-737-6226)**
 **permacon.ca/contactus**

Proof of purchase will be required to proceed with a claim request. No claims will be accepted without proof of purchase.²

All claims must be reported within 15 days of the discovery of a product's defect. To validate a claim, a Permacon representative will arrive to inspect the defective products in order to confirm whether the claim is admissible. Therefore, it is essential to provide Permacon with the necessary access to inspect and take photos of the products in question.

This warranty is the only one that is presently offered. Because Permacon continually improves and modifies its products, it may alter and discontinue products at any time, and therefore may replace warranty-covered products with products of similar quality or offer monetary compensation if the products under warranty have been discontinued or are no longer on the market while the warranty is active.

In the event that a product is found to be non-conforming by Permacon or an authorized representative of the company,

and in order to proceed with compensation, Permacon will take into account the number of months during which the landscape or masonry products were in the possession of the owner or their contractor, up to the date of the claim, and will prorate the amount of the payment or replacement to be made accordingly.

For example: if the purchaser makes a warranty claim in the last month of the 10th year of the warranty (i.e., the 120th month), the manufacturer, at its sole discretion, shall either:

- Provide a replacement for the product in question if still available (only the defective product will be replaced)
- Return 480/600 of the price paid for the products to the owner. No labour, transportation, or other compensation will be covered by Permacon

Transferability

The warranty is transferable. Proof of warranty registration will still be required in the event of a claim. The prorated period will be based on the 50-year warranty period remaining as an assignee, if the purchaser transfers the warranty to a subsequent owner, as described above.

50 Year Warranty | Masonry Products



Exclusions

A landscape or masonry product installed on an area of more than **100 square feet** confirms the acceptance of the product received on site and that no claim can be made to Permacon regarding the colour, size, or texture of the product.

This warranty excludes all products not supplied by Permacon, as well as any defects, failures, or damages that may result from the actions listed below:

- Contact with chemicals or cleaning products
- Damage caused by pressure washers
- Improper installation or other construction activities that do not comply with the installation standards established by ICPI, NCMA or IMQ, the National Building Code or the installation methods and tips recommended by Permacon. The installation guides provided by Permacon represent certain installation situations and are not exhaustive. It is therefore strongly recommended that you consult a qualified professional to ensure the proper installation of Permacon products on a specific job site.
- Defective design or construction resulting in sagging, shifting, or failure
- Breakage due to shock, impact, or excessive load during handling, use, or transportation
- Natural disaster or other uncontrollable event
- Breakage and damage to products caused by soil movement or building movement as well as misuse of construction, compaction, or snow removal equipment. The warranty does not cover surface deterioration caused by the misuse of sodium chloride (NaCl) to de-ice pavers, slabs, or steps.
- The use of sodium chloride (NaCl) on the following products:
 - Step Valentia
 - Valentia Block
- Be.OnStone and Mirage products sold by Permacon

Installation

When installing masonry products, it is vital that the work be cleaned to remove residue and contaminants left on the stone or brick. Permacon accepts no responsibility for stains and colour changes caused by installation residue or the consequences of cleaning said residue.

Colour

Photos of our products in landscape and masonry brochures, as well as in displays such as masonry panels and landscape racks at our distributors, are not an exact representation of the products that will be delivered to the job site. The presence of natural ingredients used in the manufacturing process varies from one product to another. Therefore, the product received on the job site will not be completely identical to the products presented in our commercial presentations (catalogs, samples, displays). Any difference in colour cannot be attributed to the guarantee.

Permacon offers a variety of products with different colours to reproduce the appearance of natural stone. It is therefore strongly recommended that you view several products directly from your authorized Permacon distributor to see all available colours. It is the purchaser's responsibility to approve the products delivered to the job site prior to installation and to ensure that the colour is satisfactory. It is also recommended to mix products from different pallets received on site. Since variations in colour shades are a natural phenomenon, Permacon does not guarantee colour uniformity between different pallets on the same job site. Product installation constitutes acceptance.

Polymeric film


A whitish polymeric film can be found on the surface of our products. This is the result of an inadequate use of polymeric sand. Improper cleaning of slabs and pavers prior to the application of water on the products' surface can cause this whitish polymeric film. This film does not affect the structural integrity of the product. Permacon cannot be held responsible for this phenomenon, which is not covered by the warranty.

Efflorescence

White traces on the surface of the product are caused by a natural phenomenon called efflorescence. More visible on darker products, efflorescence affects neither the intrinsic technical qualities nor the structural integrity of our products. The possible appearance of efflorescence cannot be the subject of any guarantee on our part. In most cases, efflorescence disappears by itself over time.

¹ The following locations are defined as residential: family dwelling of 5 units or less, single family home, garden suite, or townhouse

² The following items are considered valid proof of purchase: invoice directly from an authorized Permacon distributor or invoice from a landscape contractor, general contractor, mason, or home builder



Since 1952, all Permacon products have been made with passion and pride in Canada.

1 888 PERMACON
PERMACON.CA



PERMACON
A CRH COMPANY