
TECHO—BLOC

INSPIRING ARTSCAPES





For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients are present within the recipe to allow for a range in tones, veining and textures from one stone to another. Color samples for reference only. Actual product colors may vary.

Content

Bricksand StoneCollections

Brandon 08 Iconic 13

Stones

Alür 19
Chantilly 20
Madison Grande 22
Madison Various 25

Bricks

Griffintown 29 Visconti 31

Architectural Series

Architectural Block 34
LaRochelle Stone 39

Accessories

LaRochelle Sill 44 LaRochelle Keystone 44

TechnicalSpecifications

Compatibility Chart 46
Technical Specifications 47
Warranty 54

Breaking the mold

A word from Techo-Bloc's founder and president, Charles Ciccarello.

As early as I can remember, I was captivated by the work of my father. He was a landscaper, and I had always admired the craft. At that time, I'd see the same brick-style concrete products everywhere I went. No matter how creative we got, we were always limited by the materials. I was hungry for something different and the market was starved of choice.

I started Techo-Bloc as a 26-year-old landscaper with the defiant belief that the landscaping & masonry industry needed some shaking up. This was my main driver and motivator. I became consumed with the idea of manufacturing better concrete products; ones with eye-catching colors and different shapes and sizes. We broke the mold of the beloved brick, and we haven't rested since.

True to form, 2021 denotes another year of change, evolution and pushing the boundaries. We've launched some incredibly avant-garde paving stones, wall designs, masonry products, new technology and revised our packaging to reduce plastic consumption.

Over the years, we've empowered designers, contractors and homeowners with the colors, textures, design ideas and support to create standout statement-making spaces outdoors. However, it's been our creative vision and bold aesthetics that have allowed us to build an incredible community of like-minded individuals that are redefining what is expected of outdoor design.

Every day I am reminded of the responsibility and the great honour Techo-Bloc has in its piece of the puzzle. Thank you for trusting us. Exchanging with us. Inspiring us.





Brick and Stone Collection —

Beauty and elegance at your fingertips

Once again, Techo-Bloc has broken the mold with our Brandon and Iconic collections. The array of color options paired with design combination possibilities, make these two collections nothing less than noteworthy. Customize your home according to your imagination and give free rein to your creativity!



Brandon Brick - Black Pearl

Brandon T







for brick only




Sienna Onyx Grey



Graphite Grey








Brandon Brick - Black Pearl

45° Corner Stones Height: 3 15/16 in 100 mm

Height: 3 15/16 in 100 mm

9 ½₁₆ × 11 × 13 ¾ 230 × 280 × 350

9 ½₁₆ × 13 ¾ 230 × 250



Brandon Brick and Stone - Shale Grey

Height: 3 % in 90 mm

45° Corner Stones Height: 3 % in 90 mm


110 × 280 × 350

4 ½ × 6 ½ × 9 ½ 110 × 160 × 230

4 ½ × 13 ¾ 110 × 350 4 ⁵/₁₆ × 11 ⁷/₁₆ 110 × 290



Iconic Brick & Stone - Urban Pattern - Silver Waves





0.011.03		
Height: 3 % ₁₆ ii	90 mm	
6 ½ × 17 ½ 168 × 448	6 % × 23 % 168 × 600	6 ½ × 29 ½ 168 × 752

Height: 3 % in 90 mm

3 ½ × 23 ½ 79 × 600



Iconic Brick and Stone - Urban Pattern - Silver Waves

Iconic



Tints of Vanilla



Silver Waves




Volcanic Black Black mortar is recommended

Patterns


Combining the Iconic stone and brick creates a bold and distinguished effect. Its multiple layouts denote its versatility and it is compatible with all styles of architecture. Iconic's various arrangements will undoubtedly fit perfectly with your taste and become the emblem of your home.

Luxurious




60% Stones, 40% Bricks

Balanced




50% Stones, 50% Bricks

Timeless



40% Stones, 60% Bricks

Urban



30% Stones, 70% Bricks



Iconic Brick and Stone - Timeless Pattern - Tints of Vanilla

Stones


Build up to something beautiful.

Both elegant and classic, stone masonry is the perfect way to complement the unique character of your home. Its natural stone appeal will bring originality and boldness to the exterior of your residence. Let the combination of brawn and beauty add a look to your home that will transcend time.



Alür Stone - Sienna Onyx Grey

T Alür







Davenport Grey



Sienna Onyx Grey



Graphite Grey



Alür Stone - Davenport Grey

Stones — Height: 3 15/16 in 100 mm

3 ½ × 4 ¼ 3 ½ × 9 3 ½ × 13 ¾ 3 ½ × 18 ½ 7 ½ × 9 7 ½ × 13 ¾ 7 ½ × 18 ½ 11 ½ × 13 ¾ 11 ½ × 18 ½ 89 × 108 89 × 229 89 × 349 89 × 470 191 × 229 89 × 349 89 × 470 292 × 349 292 × 470

Height: 4 15/16 in 125 mm

8 x 6 230 × 152

45° Corner ——

Height: 3 15/16 in 100 mm

89 × 250 × 305 89 × 402 × 457

 $3\frac{1}{2}\times9\frac{1}{16}\times12$ $3\frac{1}{2}\times9\frac{1}{16}\times18$ $7\frac{1}{2}\times9\frac{1}{3}\frac{1}{6}\times12$ $7\frac{1}{2}\times15\frac{1}{16}\times18$ $11\frac{1}{2}\times9\frac{1}{3}\frac{1}{16}\times12$ $11\frac{1}{2}\times15\frac{1}{3}\frac{1}{16}\times18$

Chantilly s











Chantilly Stone - Victoria

45° Corners
Height: 3 15/16 in 100 mm

11 ½ × 16 ½ × 18 292 × 419 × 457 11 ½ × 9 ½ × 12 292 × 241 × 305

7 ½ × 16 ½ × 18 191 × 419 × 457

7 ½ × 9 ½ × 12 191 × 241 × 305

3 ½ × 16 ½ × 18 89 × 419 × 457 3 ½ × 9 ½ × 12 89 × 241 × 304



Chantilly Stone - Hacienda Light

Caridie

7 ½ × 5 ½ 140 × 190

Height: 4 5/16 in 110 mm

18 ½ 11 ½ × 13 ¾ × 470 292 × 349 7 ½ × 18 191 × 4 7 ½ ×

× 13 ¾ 7 1 × 349 191 9 3½×18½ 9 89×470

Height: 3 15/₁₆ in 100 mm

3 ½ × 13 ¾ 3 ½ × 9 3 ½ × 4 ¼ 89 × 349 89 × 229 89 × 108

Madison T

Grande





Madison Grande Stone Slate - Sienna Onyx Grey

Grande

Height: 3 % in 90 mm

9 ½₁₆ × 15 ¾ 230 × 400

9 ½₁₆ × 19 ½₁₆ 230 × 500

9 ½₁₆ × 21 ½ 230 x 550

9 ½₁₆ × 23 ½ 230 x 600

9 ½₁₆ × 25 %₁₆ 230 × 650





T Madison

Various



Platinum Grey

Sienna Onyx
Grey

Graphite Grey

Madison Various Stone Smooth - Graphite Grey

Various Sizes —

3 % ₁₆ × 15 ¾	3 ½ × 17 ½ 6	3 ½ ₁₆ × 19 ½ ₁₆	3 % ₁₆ × 21 %	3 ½ ₁₆ × 23 ½	3 % ₁₆ × 25 % ₁₆
90 × 400	90 x 450	90 × 500	90 x 550	90 × 600	90 x 650
5 ½ × 15 ¾	5 ½ × 17 ½,6	5 ½ × 19 ½,6	5 ½ × 21 ½	5 ½ × 23 ½	5 ½ × 25 ½
130 × 400	130 × 450	130 × 500	130 × 550	130 × 600	130 × 650

Bricks

Taking curb appeal to new heights.

From modern to traditional, our collection of bricks has something for everyone. Choose from straight and clean lines or rough-hewn classics to customize your home to your unique style. They are guaranteed to complement the design and aesthetic of any home, making them the ideal masonry choice for your exterior project.



Griffintown Brick - Elegant White (on order only)

T Griffintown





Calico



Satin Grey



Champlain Grey



Graphite Grey



Black Pearl

Griffintown Brick - Graphite Grey

Brick

Height: 3 ½ in 90 mm

3 ½ × 10 ½ 79 × 257

Griffintown Brick - Elegant White (on order only)

T Visconti



Visconti Brick - Black Pearl et Shale Grey

Brick ——— Height: 3 % in 90 mm Height: 3 % in 90 mm

3 ¹⁵/₁₆ × 12 ³/₈ × 12 ⁵/₈ 100 × 320 × 315 3 ¹⁵/₁₆ × 12 ⁵/₈ 100 × 320





Shale Grey



Champlain Grey



Graphite Grey



Black Pearl

Architectural Series —

The building blocks of style.


These oversized and larger than life blocks are amongst our most diverse masonry offerings.

Our Architectural Block and LaRochelle collection provide you with trendy colors and larger than life textures so you can let your creativity run wild.

These out-of-the-box beauties will allow you to fully customize your curb appeal for a jaw-dropping home.



LaRochelle Stone 12x24 Grinded - Elegant White



Elite Colors (on order)

Standard Colors

Block 4 x 16 ——— Height: 3 % in 90 mm

Block 8 x 16 Height: 3 % in 90 mm


3 %₁₆ × 15 3/₈ 90 × 390

7 ½ × 15 ¾ 190 × 390



Architectural Block 8x16 Smooth - Elegant White






LaRochelle Stone - Polished Elegant White

LaRochelle Stone - Grinded Grey

LaRochelle Stone





Griffintown Brick - Elegant White and LaRochelle Stone 4×24 and 8×24 Grinded - Carbon

Brick ——— Height: 3 % in 90 mm

3 %₁₆ × 11 %₁₆ 90 × 290

Corner Brick —— Height: 3 % in 90 mm

3 %₁₆ × 11 %₁₆ 90 × 290

3 %₁₆ × 23 ½ 90 × 590

Stone 4 x 24 ——

Height: 3 % in 90 mm

Stone 6 x 24 —— Height: 3 % in 90 mm

5 ½ × 23 ¼ 140 × 590

Stone 8 x 24 —— Height: 3 % in 90 mm

7 ½ × 23 ¼ 190 × 590

Stone 12 x 24 —

Height: 3 % in 90 mm

11 3/8 × 23 1/4 390 × 590

Height: 3 % in 90 mm

5 ½ × 23 ½ 145 × 590

Keystone — Height: 3 % in 90 mm

11 7/16 × 6 × 8 290 × 152 × 203




LaRochelle Stone 12 x 24 Grinded - Pure White

Accessories

The final touches to your home transformation

Your home transformation is almost complete. You've thought of everything, except masonry accessories. Don't worry, we've got you covered. We offer a window sill and keystone design that will help you bring your home project vision to life. Final touches are key to any successful project. Thankfully, we've thought of every last detail.



Iconic Brick and Stone - Tints of Vanilla with LaRochelle Sill



Architectural Block 8x16 - Smooth Elegant White - LaRochelle Sill Split Face - Elegant White

LaRochelle Sill

The Techo-Bloc window sills come in 7 shades and 5 textures that pair beautifully with our LaRochelle stones and architectural blocks, allowing you to bring your home project vision to life. Our sills will also add elegance and finesse to all our ranges of masonry products.

Texture without Chamfer

Texture with Chamfer









Split Face without Chamfer





Technical specifications on page **52**

LaRochelle Keystone

Our keystones are available in 7 shades and 3 textures. In addition, you can choose whether you want your Keystone with or without chamfer to match your design needs.

Texture without Chamfer

Texture with Chamfer








Technical specifications on page **52**

Architectural Block - Nickel Grinded LaRochelle Candle/Lintel - Nickel Grinded





Chantilly Stone - Victoria

		[3rick	S		Stones										Blocks		Асс.	
	Brandon	Griffintown	Iconic	Triana	Visconti	Alür	Brandon	Chantilly	Iconic	LaRochelle 4 x 24	LaRochelle 6 x 24	LaRochelle 8 x 24	LaRochelle 12 x 24	Madison Grande	Madison Various	Architectural Block 4 x 16	Architectural Block 8 x 16	LaRochelle Sill	LaRochelle Keystone
Bricks																			
Brandon	Х					х	х	х		х	х	х	х	Х	х	х	X	х	х
Griffintown		х				х		х	Х	х	х	х	X	X	х	х	X	х	х
Iconic			х						Х	х	Х	х	x			x	x	х	х
Visconti					х	X		х		х	Х	x	x	X	Х	x	X	х	Х
Stones																			
Alür	Х	х		х	х	х				х	х	х	х			х	X	х	х
Brandon	х						х			х	х	х	x			х	×	х	х
Chantilly	Х	X	х	х	х			х		х	Х	X	X			X	X	х	х
Iconic		х	х						х	х	х	х	Х			х	Х	х	х
LaRochelle 4 x 24	Х	х	х	х	х	х	х	х	х	х	х	х	Х	Х	х	х	Х	х	х
LaRochelle 6 x 24	х	х	х	х	х	х	х	х	х	х	х	х	х	X	х	х	х	х	х
LaRochelle 8 x 24	Х	х	х	х	х	х	х	х	х	х	х	х	Х	Х	х	х	Х	х	х
LaRochelle 12 x 24	х	х	х	х	х	х	х	х	х	х	х	х	х	X	х	х	Х	х	х
Madison Grande	Х	х		х	х					х	х	х	Х		х	х	х	х	х
Madison Various	Х	х		х	х					х	Х	х	х	х		Х	х	Х	х
Blocks																			
Architectural Block 4 x 16	Х	х	Х	х	Х	х	х	Х	Х	х	Х	Х	X	Х	х	х	×	х	Х
Architectural Block 8 x 16	Х	х	Х	Х	Х	х	х	Х	Х	х	Х	Х	X	х	х	Х	x	х	Х
Accessories																			
LaRochelle Sill	Х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	х
LaRochelle Keystone	X	х	×	×	×	×	×	х	х	×	х	х	×	×	×	×	х	x	х

NOTE: The combinations shown in this chart are not complete. Other possible combinations exist.

Alür

7,21 m² / 77,65 ft² per pallet 1,03 m² / 11,09 ft² per row


1 385 kg / 3053 lbs 126 units

Stones

CUBING

7 row of 18 units

A-B-C-D = 19% / E-F-G = 56% / H-I = 25%



Stones / 45° Corners

10,99 lin. m / 36,04 lin. ft per pallet

A-B = 36% / C-D = 37% / E-F = 27%

2,20 lin. m / 7,21 lin. ft per row

CUBING

70 units

789 kg / 1739 lbs

5 row of 14 units



Sold by full pallet

A-2% (14 units/pallet) 100 × 89 × 108 mm $3^{15}/_{16} \times 3^{1}/_{2} \times 4^{1}/_{4}$ in



E - 9% (14 units/pallet) $100\times191\times229\,m$ $3^{15}/_{16} \times 7^{1}/_{2} \times 9$ in



H- 11% (7 units/pallet) 100 × 292 × 349 mm $3^{15}/_{16} \times 11^{1}/_{2} \times 13^{3}/_{4}$ in

Sold by full pallet or row



B - 9% (28 units/pallet) 100 × 89 × 229 mm $3^{15}/_{16} \times 3^{1/2} \times 9$ in



F- 28% (28 units/pallet) 100 × 191 × 349 mm $3^{15}/_{16} \times 7^{1}/_{2} \times 13^{3}/_{4}$ in



100 × 292 × 470 mm $3^{15}/_{16} \times 11^{1}/_{2} \times 18^{1}/_{2}$ in



C - 3% (7 units/pallet) 100 × 89 × 349 mm $3^{15}/_{16} \times 3^{1}/_{2} \times 13^{3}/_{4}$ in



D - 5% (7 units/pallet) 100 × 89 × 470 mm $3^{15}/_{16} \times 3^{1}/_{2} \times 18^{1}/_{2}$ in



G- 19% (14 units/pallet) 100 × 191 × 470 mm $3^{15}/_{16} \times 7^{1}/_{2} \times 18^{1}/_{2}$ in



I- 14% (7 units/pallet)







A- 29% (20 units/pallet) 100 × 89 × 250 × 305 mm $3^{15}/_{16} \times 3^{1}/_{2} \times 9^{13}/_{16} \times 12$ in



E-7% (5 units/pallet) $100\times292\times250\times305\,mm$ 3 $^{15}\!\!/_{16}\times11$ ½ \times 9 $^{13}\!\!/_{16}\times12$ in



C- 14% (10 units/pallet) 100 × 191 × 250 × 305 mm $3^{15}/_{16} \times 7^{1}/_{2} \times 9^{13}/_{16} \times 12$ in



B- 29% (20 units/pallet) 100 × 89 × 402 × 457 mm $3^{15}/_{16} \times 3^{1}/_{2} \times 15^{13}/_{16} \times 18$ in




F-7% (5 units/pallet) 100 × 292 × 402 × 457 mm $3^{15}/_{16} \times 11^{1}/_{2} \times 15^{13}/_{16} \times 18$ in



D- 14% (10 units/pallet) 100 × 191 × 402 × 457 mm $3^{15}/_{16} \times 7^{1}/_{2} \times 15^{13}/_{16} \times 18$ in

Stones / Candle Sold by full pallet or row

CUBING 1383 kg / 3050 lbs 168 units 6 row of 28 units




125 × 152 × 203 mm $4^{15}/_{16} \times 6 \times 8 \text{ in}$

Block 4 x 16

CUBING 8,41 m² / 90,42 ft² per pallet 24,96 units per m²/2,32 units per ft²

1143 kg / 2520 lbs (Onyx Black 1493 kg/3292 lbs) 210 units

7 row of 30 units




90 × 90 × 390 mm $3\%_{16} \times 3\%_{16} \times 15\%$ in

TEXTURES (SEE PAGE 38) Granitex Polished Grinded

Block 8 x 16

CUBING $8,40 \text{ m}^2 / 90,42 \text{ ft}^2 \text{ per pallet}$ 12,50 units per m² / 1,16 units per ft² 1143 kg / 2520 lbs (Onyx Black 1524 kg / 3360 lbs) 105 units



Sold by unit



90 × 190 × 390 mm $3 \%_{16} \times 7 \% \times 15 \%$ in

TEXTURES(SEE PAGE 38) Granitex

Smooth Polished Grinded

Block Split Face 4 x 16

CUBING

8,40 m² / 62 ft² per pallet 12,50 units per m² / 1,16 units per ft² 970 kg / 2138 lbs (Onyx Black 1294 kg / 2853 lbs) 72 units (12 corner units) 3 row of 24 units



Sold by full pallet



90 × 190 × 390 mm $3\%_{16} \times 7\%_{2} \times 15\%_{8}$ in

TEXTURES (SEE PAGE 38) Split Face

- The order is considered final 24 hours after it is received at Techo-Bloc.
- The order cannot be cancelled. The customer is responsible for the entire order.
- The bevel is 3/8" dimension.
- The split face texture is only available for the following format:

Sales conditions

- A minimum order of 3,000 units is required for Elite colors.
- All orders must be picked up or delivered within 30 days of the confirmed delivery date..

- The bevel have a grinded finish.

- Check availability with our customer service or your representative.
- No changes will be accepted after 24 hours.

- 90 x 190 x 390 mm (3,54 × 7,48 × 15,35 in.).

Bricks

Brandon

CUBING 1,11 m² / 11,95 ft² per row 1616 kg / 3563 lbs

8,88 m² / 95,60ft² per pallet 288 units 8 row of 36 units

Sold by full pallet



A - 2% (16 units/pallet) $3\%_{16} \times 4\%_{16} \times 4\%_{16}$ in



B - 17% (72 units/pallet) $3\%_{16} \times 4\%_{16} \times 6\%_{16}$ in



C - 24% (72 units/pallet) $3\%_{16} \times 4\%_{16} \times 9\%_{16}$ in

(T)



D - 33% (80 units/pallet) 90 × 110 × 290 mm $3\%_{16} \times 4\%_{16} \times 11\%_{16}$ in




E - 24% (48 units/pallet) 90 × 110 × 350 mm $3\%_{16} \times 4\%_{16} \times 13\%_{11}$ in

Bricks / 45° Corners

CUBING

12,50 lin. m / 41 lin. ft per pallet 3,12 lin. m / 10,23 lin. ft per row 665 kg / 1467 lbs 104 units 4 row of 26 units



Sold by full pallet or row



A- 18% (24 units/pallet) 90 × 110 × 160 × 230 mm $3\%_{16} \times 4\%_{16} \times 6\%_{16} \times 9\%_{16} \times 9\%_{16}$ in




B - 29% (32 units/pallet) 90 × 110 × 220 × 290 mm $3\%_{16} \times 4\%_{16} \times 8\%_{16} \times 11\%_{16} \times 11\%_{16}$ in



C - 53% (48 units/pallet) 90 × 110 × 280 × 350 mm $3\%_{16} \times 4\%_{16} \times 11 \times 13\%_{16}$

Stones

CUBING 8,29 m² / 89,28 ft² per pallet 1,04 m² / 11,16 ft² per row 1 616 kg / 3563 lbs 120 units 8 row of 15 units



Sold by full pallet




A- 50% (72 units/pallet) 100× 230 × 230 mm $3^{15}/_{16} \times 9^{1}/_{16} \times 9^{1}/_{16}$ in



B-50 % (48 units/pallet) 100 × 230 × 350 mm $3^{15}/_{16} \times 9^{1}/_{16} \times 13^{3}/_{4}$ in

Stones / 45° Corners

CUBING 11,52 lin. m / 37,80 lin. ft per pallet 2,88 lin. / 9,45 lin. ft per row 774kg / 1706 lbs 48 units 4 row of 12 units



Sold by full pallet or row



100 × 230 × 280 × 350 mm

Chantilly

Stones

CUBING 5,69 m² / 61.24 ft² per pallet 0,948 m² / 10,206 ft² per row 1102 kg / 2430 lb

96 units 6 row of 16 units A-B-C-D=20% / E-F-G=53% / H-I=27%



Sold by full pallet



A- (12 units/pallet) $3^{15}/_{16} \times 3^{1}/_{2} \times 4^{1}/_{4}$ in







H- (6 units/pallet) 100 × 292 × 349 mm $3^{15}/_{16} \times 11^{1}/_{2} \times 13^{3}/_{4}$ in



B- (12 units/pallet) $3^{15}/_{16} \times 3^{1}/_{2} \times 9$ in



F- (18 units/pallet) 100 x 191 x 349 mm $3^{15}/_{16} \times 7^{1}/_{2} \times 13^{3}/_{4}$ in



$3^{15}/_{15} \times 9^{1}/_{16} \times 11 \times 13^{3}/_{4}$ in

D- (6 units/pallet) $3^{15}/_{16} \times 3^{1}/_{2} \times 18^{1}/_{2}$ in



C- (12 units/pallet)

 $3^{15}/_{16} \times 3^{1}/_{2} \times 13^{3}/_{4}$ in

G- (12 units/pallet) 100 × 191 × 470 mm $3^{15}/_{16} \times 7^{1}/_{2} \times 18^{1}/_{2}$ in



I - (6 units/pallet) 100 × 292 × 470 mm $3^{15}/_{16} \times 11 \frac{1}{2} \times 18 \frac{1}{2}$ in



S


Stones / 45° Corners

CUBING

9,61 lin. m / 31,54 lin. ft per pallet 2,403 lin. m / 7,884 lin. ft per row 816 kg / 1800 lb

52 units

4 row of 13 units A-B=18% / C-D=44% / E-F=38%



Sold by full pallet or row



A- 9% (12 units/pallet) 100 × 88 × 241 × 304mm 3 ¹⁵/₁₆ × 3 ½ × 9 ½ × 12 po



C - 6% (4 units/pallet) 100 × 191 × 241 × 305 mm 3 ¹⁵/₁₆ × 7 ½ × 9 ½ × 12 po



E- 10% (4 units/pallet) 100 × 292 × 241 × 305 mm 3 ¹⁵/₁₆ × 11 ½ × 9 ½ × 12 po



B- 9% (8 units/pallet) 100 × 89 × 419 × 457 mm $3^{15}/_{16} \times 3^{1/}_{2} \times 16^{1/}_{2} \times 18 \text{ po}$



D-38% (16 units/pallet) 100 × 191 × 419 × 457 mm $3^{15}/_{16} \times 7^{1}/_{2} \times 16^{1}/_{2} \times 18^{15}$ po




F- 28% (8 units/pallet) 100 × 292 × 419 × 457 mm 3 ½ × 11 ½ × 16 ½ × 18 po

Stones / Candle Sold by full pallet or row

CUBING

1067 kg/2353 lb 120 units 5 row of 24 units



127 × 160 × 203 mm $5 \times 6 \frac{5}{16} \times 8 \text{ in}$

Griffintown

 (T)

Brick

CUBING

8,36 m² / 90,04 ft² per palet 1,05 m² / 11,25 ft² per row

42,08 units per m² / 3,91 units per pi²

1275 kg / 2811 lb 352 units

8 row of 44 units

Unit A: 288 units/palet Unit B: 64 units/palet



90× 79× 257 mm $3 \frac{1}{2} \times 3 \frac{1}{8} \times 10 \frac{1}{8}$ in









B- 18% (8 units/row) 90× 79× 257 mm $3 \frac{1}{2} \times 3 \frac{1}{8} \times 10 \frac{1}{8}$ in

Iconic



Bricks

CUBING 8,40 m² / 90,38 ft² par pallete

1,20 m² / 12,91 ft² par rang 18,34 units per m² / 1,70 units per ft²

1461 kg / 3220 lb 154 units 7 row of 22 units





A- 95% (147 units/pal) 90 × 79 × 600 mm $3 \%_{16} \times 3 \% \times 23 \%$ in



B-5% (7 units/pal) 90 × 79 × 600 mm $3 \%_{16} \times 3 \% \times 23 \%$ in

Stones

CUBING

6,09 m² / 65,56 ft² per pallet 0,874 m² / 9,37 ft² per row 1 125 kg / 2481 lbs

56 units

7 row of 8 units

В	В
А	С
A	С
A	С

Sold by full pallet



A- 28% (21 units/pallet) $90 \times 168 \times 448 \text{ mm}$ $3\%_{16} \times 6\%_{8} \times 17\%_{8}$ in



B-25% (14 units/pallet) $90\times168\times600\,mm$ $3\%_{16} \times 6\%_{8} \times 23\%_{8}$ in

Stone 6 x 24

1440 kg / 3175 lbs

1866 kg / 4114 lbs

84 units / 7 row of 12 units

17 kg / 37,5 lbs per unit

22 kg / 48,50 lbs per unit

CUBING

Onyx Black



C-47% (21 units/pallet) 90 × 168× 752 mm $3\%_{16} \times 6\%_{8} \times 29\%_{8}$ in

LaRochelle

140 units / 7 row of 20 units

11 kg / 24,35 lbs per unit

14,7 kg / 32,34 lbs per unit

Stone 4 x 24

1474 kg / 3250 lbs

2072 kg / 4568 lbs

Stone 8 x 24

1633 kg / 3600 lbs

2048 kg / 4515 lbs

70 units / 7 row of 10 units

22 kg / 48,50 lbs per unit

29 kg / 63,93 lbs per unit

CUBING

Onyx Black

Onyx Black

CUBING



90 × 90 × 590 mm

Sold by unit

90 × 190 × 590 mm

3 ½× 7 ½× 23 ¼ in

Granitex

Smooth

Polished

Grinded

TEXTURES (SEE PAGE 43)

Sold by unit

3 1/16 × 3 1/16 × 23 1/4in









Sold by unit

(T)



90 × 140 × 590 mm $3 \%_{16} \times 5 \% \times 23 \%$ in


TEXTURES (SEE PAGE 43)

Granitex Smooth Polished Grinded

Stone 12 x 24

CUBING 42 units / 7 row of 6 units 1440 kg / 3172 lbs 34 kg / 75 lbs per unit Onyx Black

1866 kg / 4114 lbs 44 kg / 97 lbs per unit



Sold by unit

Grinded


90 × 290 × 590 mm $3 \%_{16} \times 11 \%_{16} \times 23 \%$ in

TEXTURES (SEE PAGE 43) Granitex Smooth Polished

Sill

17,40 kg / 38,36 lbs per unit Onyx Black

1849 kg / 4077 lbs 21,80 kg / 48,06 lbs per unit



Sold by unit




145 × 90 × 590 mm $5^{11}/_{16} \times 3^{9}/_{16} \times 23^{1}/_{4}$ in

TEXTURES (SEE PAGE 48) Split Face Granitex Polished Grinded

CUBING 105 units / 7 row of 15 units 1176 kg / 2592 lbs 10,59 kg / 23,35 lbs per unit Onyx Black 1428 kg / 3148 lbs 13 ½ kg / 29,76 lbs per unit

Keystone





Sold by unit

90 × 290 × 152 × 203 mm $3\%_{16} \times 11\%_{16} \times 6 \times 8 \text{ in}$

TEXTURES (SEE PAGE 48) Granitex Polished Grinded

TEXTURES


Granitex

Polished

Grinded

Bricks

CUBING 7,92 m² / 85,25 ft² per pallet 0,99 m² / 10,66 ft² per row 33,33 units per m² / 3,10 units per ft² 1395 kg / 3076 lbs 264 units 8 row of 33 units





Regular - 33% (88 units/pallet) 90 × 90 × 290 mm $3\%_{16} \times 3\%_{16} \times 11\%_{16}$ in



Corner - 67% (176 units/pallet) 90 × 90 × 290 × 285 mm $3\%_{6} \times 3\%_{6} \times 11\%_{16} \times 11\%$ in

Sold by full pallet

Sales conditions / Stones, Sills and Keystones

- A minimum order of 3,000 units is required for Elite colors. • Check availability with our customer service or your representative.
- All orders must be picked up or delivered within 30 days of the
- confirmed delivery date. • The order is considered final 24 hours after it is received at Techo-Bloc. No changes will be accepted after 24 hours.


- The order cannot be cancelled. The customer is responsible for the entire order.
- The bevel is 3/8" dimension.
- The bevel have a grinded finish.
- The split face texture is only available for the following format: 90 x 190 x 390 mm (3,54 × 7,48 × 15,35 in.).

Madison Grande

(T)

Stones

CUBING 7,19m² / 77,40 ft² per pallet 1,03 m² / 11,06 ft² per row 1420 kg / 3130 lbs 56 units 7 row of 8 units



Sold by full pallet



A - 19% (14 units/pallet) 90 × 230 × 400 mm $3\%_{16} \times 9\%_{16} \times 15\%_{16}$ in



B - 11% (7 units/pallet) 90 × 230 × 450 mm $3\%_{16} \times 9\%_{16} \times 17\%_{16}$ in



C - 12% (7 units/pallet) 90 × 230 × 500 mm $3\%_{16} \times 9\%_{16} \times 19\%_{16}$ in



D - 13% (7 units/pallet) 90 × 230 × 550 mm $3\%_{16} \times 9\%_{16} \times 21\%$ in



E - 14% (7 units/pallet) 90 × 230 × 600 mm 3 %₁₆ × 9 ½₁₆ × 23 % in



F - 31% (14 units/pallet) 90 × 230 × 650 mm $3 \%_{16} \times 9 \%_{16} \times 25 \%_{16}$ in

Madison Various

Sold by full pallet

CUBING 7,19m² / 77,40 ft² per pallet

Stones

1,03 m² / 11,06 ft² per row 1380 kg / 3042 lbs 112 units 7 row of 16 units

D	С
G	L
E	В
Н	K
F	A
I	J
A	F
L	G







B - 4% (7 units/pallet) 90 × 90 × 450 mm $3\%_{16} \times 3\%_{16} \times 17\%_{16}$ in



C - 5% (7 units/pallet) 90 × 90 × 500 mm $3\%_{16} \times 3\%_{16} \times 19\%_{16}$ in

F - 13% (14 units/pallet)

90 × 90 × 650 mm


 $3\%_{16} \times 3\%_{16} \times 25\%_{16}$ in

(T)

(T)




D - 5% (7 units/pallet) 90 × 90 × 550 mm $3\%_{16} \times 3\%_{16} \times 21\%_{8}$ in



G - 11% (14 units/pallet) 90 × 130 × 400 mm $3\%_{16} \times 5\%_{8} \times 15\%_{4}$ in







E - 6% (7 units/pallet)

90 × 90 × 600 mm

 $3\%_{16} \times 3\%_{16} \times 23\%_{16}$ in

90 × 130 × 450 mm $3\%_{16} \times 5\%_{8} \times 17\%_{16}$ in







I - 7% (7 units/pallet) 90 × 130 × 500 mm $3\%_{16} \times 5\% \times 19\%_{16}$ in








L - 18% (14 units/pallet) 90 × 130 × 650 mm $3\%_{16} \times 5\%_{8} \times 25\%_{16}$ in

Visconti

Bricks

CUBING 9,58 m² / 103,15 ft² per pallet 1,20 m² / 12,89 ft² per row 27,55 units per m² / 2,56 units per ft² 1707 kg / 3763 lbs 264 units 8 row of 33 units



Sold by full pallet



Regular - 67% (176 units/pallet) 90 × 100 × 320 mm $3\%_{16} \times 3\%_{16} \times 12\%$ in



Corner - 33% (88 units/pallet) 90 × 100 × 320 × 315 mm $3\%_{16} \times 3\%_{16} \times 12\%_{8} \times 12\%_{8}$ in

Important Notes

COLOR

Due to the inherent nature of printed literature and current digital media, Techo-Bloc cannot guarantee specific colour matching to printed representations of its colour swatches. Therefore, colour samples shown are reproduced as precisely as possible but may vary from actual product colours.

Final colour selection should be made at your local dealer from stocked product. Techo-Bloc always recommends immediately verifying the product and colour upon reception to ensure that the delivered materials correspond to your order. If there are any discrepancies, contact your local dealer before continuing your project. Installation of the product constitutes your acceptance of the product as is.

For a natural appearance, each shade of colour is composed of a variety of darker & lighter tones. Natural aggregates such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another. All Techo-Bloc bricks and stones feature through-and-through color which allows them to be cut on-site while preserving their appearance (except for Stonedge products).

PROPER COLOR DISTRIBUTION AND LAYERING TECHNIQUES

Proper installation enhances the overall colour of masonry elements. To achieve beautiful results, units should be randomly picked from at least four pallets of the same lot number, and installed alternately. When installing. This creates an attractive and subtle blending of colour. Techo-Bloc accepts no responsibility or liability whatsoever if installation does not follow these guidelines.

EFFLORESCENCE

This warranty does not apply to efflorescence. Efflorescence is a natural occurring process in all concrete products which sometimes appears in the form of a white powdery film on the surface. Efflorescence is more perceivable in darker colours such as Onyx Black and Charcoal as there is a higher level of contrast than with other blended colours. It does not, in any way, compromise the functionality or the structural integrity of the product. Although efflorescence cannot be prevented, the rain will wash it off over time. Efflorescence can also be cleaned with a product compliant with Techo-Bloc's or the cleaning product's directives. Techo-Bloc accepts no responsibility or liability for this condition.

CONSTRUCTION RESIDUE

By-products of cutting with a saw are residue-filled water and concrete dust. Residue-filled water or re-hydrated dust can cling to the surface and leave stains. It is recommended to wash and remove the water or concrete dust from the masonry's surface before it dries. Organic residues may also stain surfaces during construction. These contaminants should be removed immediately but do not affect the integrity of the product or your installation. Techo-Bloc accepts no responsibility or liability for these occurrences.



The Techo-Bloc warranty is applicable to all masonry products manufactured by Techo-Bloc. We are proud to certify that these products meet and/or surpass the requirements of the Canadian Standards Association (CSA A165.04) and the American Society for Testing Materials (ASTM-C55). These standards provide requirements for density, absorption, compressive strength, as well as, materials, facing, sampling/testing, and packaging.

Techo-Bloc guarantees the lasting structural integrity of its masonry products for a period of 50 years and warrants that its products are free from manufacturing defects.

This warranty is offered to the original purchaser of the product with proof of purchase. It applies to original installations only; once the masonry product is removed from its original installation, the Techo-Bloc warranty is no longer applicable.

In the case where building standards, regulations and Techo-Bloc's own guidelines were not adhered to during the product's installation process, Techo-Bloc cannot take responsibility for the product's deterioration resulting from poor installation.

Efflorescence is the result of a naturally occurring phenomenon in concrete materials, which appears on the surface in the form of a white powdery layer. Various efflorescence cleaning products are available on the market. Due to the organic nature of this process, Techo-Bloc cannot accept responsibility or liability for this natural occurrence. For additional information on efflorescence, please visit the technical publications section of http://www.masonryinstitute.org.

In the case of a warranty claim deemed legitimate through a product inspection, Techo-Bloc will honor its warranty by exchanging the Techo-Bloc material. Techo-Bloc's responsibility is limited solely to the product and is not responsible for any installation costs. It is the responsibility and upon the good faith of the installer to inspect the delivered material and to advise Techo-Bloc should there be any issues prior to installation of the materials. Once installed, Techo-Bloc cannot guarantee the color match of any replacement units.

This warranty does not apply to natural wear or any damage resulting from a natural disaster, product handling or from a deliberate and/or negligible act on the part of the purchaser, owner of the building, installer or any third party.

Should you require assistance, please contact the authorized Techo-Bloc retailer from which you purchased the product or Techo-Bloc's customer service department at 1.877.832.4625. We take pride in our high-quality products and in satisfying our customers.

OTE:

To give them their distinct appearance, the products in the Stonedge Collection are manufactured with a different process from our other product lines. Although they comply with the most recent industry standards both in Canada and in the United States, Techo-Bloc's warranty on the use of de-icing salts does not apply to Stonedge products.





Landscape Catalog

Need inspiration for — your backyard project?

Discover top design trends and the best landscaping products!

From patio stones to outdoor fire pits, browsing our catalog will surely inspire you while designing your outdoor space. Our catalog is centered around the design pillars that make Techo-Bloc products stand out from the rest. We focus on showing how to play with color, scale and texture to elevate your next landscaping renovation.

techo-bloc.com/collection/catalogs





Institutional, Commercial & Industrial

Where design meets durability

With over 35 international patents, we aim to strike the perfect balance of natural hues and incredibly-authentic textures across a diverse range of scale. Discover the widest selection of commercial grade pavements engineered to bring your design to life, even in the harshest environments.

Visit techo-bloc.com/specifier





TECHO—BLOC

INSPIRING ARTSCAPES

