

Regency Horizon® HZ30E

Contemporary Direct Vent Gas Fireplace



Standard Features

- ✓ Natural gas or propane
- ☑ Regency Horizon burner covered with cobalt blue crystals
- ☑ Electronic ignition with SureFire™ switch
- ☑ Wall mounted on/off switch
- ☑ Direct vent
- ☑ Limited lifetime warranty

- ☐ Contemporary faceplates in black, brushed steel and sunset bronze (available in two styles)
- ☐ Available without faceplate for clean edge install
- ☐ Black enamel inner reflective panels
- ☐ Natural river pebbles
- ☐ Ceramic spa stones and crystals in various colors
- ☐ Proflame GT or GTMF remote controls
- ☐ Wall thermostat
- ☐ Variable speed blower
- ☐ AstroCap® venting system
- ☐ Heat Wave[™] Power Duct Kit
- □ Heat Release[™] Kit

Specifications	Natural Gas	Propane
Input (BTU)	14,000	13,000
Turn Down to (BTU)		
EnerGuide Rating*	69.69%	69.72%
Efficiency (steady state)	70%	70%

^{*} for Canada only

Unit Dimensions	
Viewing area	251 sq. in
Width (clean finish)	28-3/16"
Height (clean finish)	14-1/16"







Regency Horizon® HZ40E

Contemporary Direct Vent Gas Fireplace



Standard Features

- ✓ Natural gas or propane
- ☑ Regency Horizon burner covered with cobalt blue crystals
- ☑ Electronic ignition with SureFire™ switch
- ☑ Wall mounted on/off switch
- ☑ Direct vent
- ☑ Limited lifetime warranty

- ☐ Contemporary faceplates in black, brushed steel and sunset bronze (available in two styles)
- ☐ Available without faceplate for clean edge install
- ☐ Black enamel inner reflective panels
- ☐ Natural river pebbles
- ☐ Ceramic spa stones and crystals in various colors
- ☐ Proflame GT, GTM or GTMF remote controls
- ☐ Wall thermostat
- ☐ Variable speed blower
- ☐ AstroCap® venting system
- ☐ Heat Wave[™] Power Duct Kit
- ☐ Heat Release[™] Kit

Specifications	Natural Gas	Propane
Input (BTU)	26,000	25,500
Turn Down to (BTU)	18,000	21,000
EnerGuide Rating*	66.82%	67.80%
Efficiency (steady state)	70%	71%

^{*} for Canada only

Unit Dimensions	
Viewing area	464 sq. in
Width (clean finish)	39-1/16"
Height (clean finish)	16-7/8"







Regency Horizon® HZ42E

Contemporary Direct Vent Gas Fireplace



Standard Features

- ☑ Natural gas or propane
- ☑ 30" burner covered with cobalt blue crystals
- ☑ Wall mounted on/off switch
- ☑ Electronic ignition with SureFire[™] switch
- ☑ Direct vent
- ☑ Limited lifetime warranty

Optional Features

- ☐ Contemporary door faceplate in black, brushed steel and sunset bronze
- ☐ Black enamel inner reflective panels
- ☐ Natural river pebbles
- ☐ Ceramic spa stones
- ☐ Crystals in various colors
- ☐ Accent light
- ☐ Proflame GT & GTM remote control
- ☐ Wall thermostat
- ☐ AstroCap® venting system

Specifications	Natural Gas	Propane
Input (BTU)	26,000	24,500
Turn Down to (BTU)	17,500	19,500
EnerGuide Rating*	64.89%	65.70%
Efficiency (steady state)	69%	69%

* for Canada only

Unit Dimensions	
Viewing area	464 sq. in.
Width (faceplate)	48-3/4"
Height (faceplate)	23-5/8"







Regency Horizon® HZ42STE & HZ42STEPV

Contemporary Direct Vent Gas Fireplace



Standard Features

- ☑ See through fireplace
- ✓ Natural gas or propane
- ☑ 30" burner covered with cobalt blue crystals
- ☑ Wall mounted on/off switch
- ☑ Electronic ignition with SureFire™ switch
- ☑ Direct vent
- ☑ Limited lifetime warranty

Optional Features

- ☐ Contemporary faceplate in black, brushed steel and sunset bronze
- ☐ Black enamel inner reflective panels
- Natural river pebbles
- ☐ Ceramic spa stones
- ☐ Crystals in various colors
- Accent light
- ☐ Proflame GT & GTM remote control
- ☐ Wall thermostat
- ☐ AstroCap® venting
- ☐ Power vent system (Hz42STEPV only)

Specifications	Natural Gas	Propane
Input (BTU)	26,000	24,500
Turn Down to (BTU)	17,500	19,500
EnerGuide Rating*	66.96%	68.71%
Efficiency (steady state)	70%	72%

* for Canada only

Unit Dimensions	
Viewing area	928 sq. in.
Width (faceplate)	48-3/4"
Height (faceplate)	23-5/8"







Regency Horizon® HZ54E & HZ54EPV

Contemporary Direct Vent Gas Fireplace



Standard Features

- ✓ Natural gas or propane
- ☑ 39" burner covered with cobalt blue crystals
- ☑ Wall mounted on/off switch
- ✓ Direct vent
- ☑ Limited lifetime warranty

- ☐ Contemporary door frame & faceplate in black, brushed steel and sunset bronze
- ☐ Black enamel inner reflective panels
- ☐ Natural river pebbles
- ☑ Electronic ignition with SureFire[™] switch □ Ceramic spa stones, crystals in various colors, ceramic log set
 - ☐ Proflame remote control
 - ☐ Wall thermostat
 - ☐ AstroCap® venting
 - ☐ Power vent system (Hz42STEPV only)
 - ☐ Variable speed blower
 - ☐ Heat Wave[™] power duct kit
 - ☐ Heat Release[™] kit

Specifications	Natural Gas	Propane
Input (BTU)	41,500	37,000
Turn Down to (BTU)	29,000	30,000
EnerGuide Rating*	56.03%	68.31%
Efficiency (steady state)	70%	75%

^{*} for Canada only

Unit Dimensions	
Viewing area	615 sq. in.
Width (faceplate)	56-11/16"
Height (faceplate)	25-1/8"







Regency Horizon® HZ33CE

Contemporary Direct Vent Gas Fireplace



Standard Features

- ✓ Natural gas
- ☑ Clean face front with ceramic glass
- ☑ Linear firebed covered with glass crystals ☐ Volcanic stones or ceramic spa stones
- ☑ Electronic ignition with SureFire[™] switch
- ☑ Proflame GTMFS remote control
- ☑ Wall mounted on/off switch
- ✓ Direct vent
- **☑** 45° flue for versatile installations
- ☑ Limited lifetime warranty

Optional Features

- ☐ Black enamel inner reflective panels
- ☐ Crystals in various colors
- ☐ Removable mesh glass guard
- ☐ Wall thermostat
- ☐ Propane conversion kit
- ☐ Vertical or horizontal vent terminations
- ☐ Heat wave distribution kit
- ☐ Power vent kit
- ☐ AstroCap® venting system

Specifications	Natural Gas	Propane
Input (BTU)	17,000	15,500
Turn Down to (BTU)	10,000	12,000
EnerGuide Rating*	65.70%	67.41%
Efficiency (steady state)	69%	69%

* for Canada only

Unit Dimensions	
Viewing area	416 sq. in.
Width (faceplate)	29-7/16"
Height (faceplate)	21-3/8"







Regency Horizon® HZ965E

Direct Vent Gas Fireplace



Standard Features

- ✓ Natural gas
- ☑ Clean face front with ceramic glass
- ☑ Linear firebed covered with glass crystals
- ☑ Split flow burner to allow for variable heat control
- ☑ Electronic ignition with SureFire[™] switch
- ☑ Proflame GTMFS remote control
- ✓ Wall mounted on/off switch
- ☑ Direct vent
- **☑** 45° flue for versatile installations
- ☑ Limited lifetime warranty

- ☐ Black enamel inner reflective panels (standard for HZ965)
- ☐ Crystals in various colors
- $\hfill \square$ Volcanic stones or ceramic spa stones
- ☐ Black full screen door
- ☐ Removable mesh glass guard
- Wall thermostat
- ☐ Propane conversion kit
- ☐ Vertical or horizontal vent terminations
- ☐ Heat wave distribution kit
- ☐ Power vent kit
- ☐ AstroCap® venting system

Specifications	Natural Gas	Propane
Input (BTU)	48,000	48,000
Turn Down to (BTU)	16,000	17,000
EnerGuide Rating*	63.11%	63.46%
Efficiency (steady state)	79%	79%

^{*} for Canada only

	Unit Dimensions	
	Viewing area	965 sq. in.
	Width (faceplate)	36-13/16"
	Height (faceplate)	33-1/4"



