


Techniseal[®] **ProSeries**

PROSERIES LINE
from **TECHNISEAL**[®]

SUPERIOR PRODUCTS for
PAVER PROFESSIONALS



techniseal.com



Pioneer in the development of solutions for the maintenance of exterior surfaces, Techniseal® has been world leader for over 30 years in the field of Polymeric jointing sand and renowned manufacturer of products for the cleaning and protection of concrete pavers. Created in 1984, the company offers professional products to the industry in United-States, Canada, Europe and Australia.

Relying on extensive research work from its state-of-the-art laboratory and on a tight collaboration with paver manufacturers, Techniseal® has developed a complete line of products such as the **ProSeries** line.

Designers and installers of large-scale projects everywhere trust the effectiveness and durability of Techniseal® products. In fact, in recent years, Techniseal® has been a part of such major projects as the construction of the Ground Zero Memorial in New York City, the reconstruction of Rue de la Commune in Old Montreal, the renovation of the Munich Airport in Germany and of a European, world-class theme park in Paris, to name just a few.



JOINTING SAND TECHNOLOGY

The original brand you can trust



Techniseal® jointing sands are superior products that provide durable stabilization for new or old paver installations.

After developing the first polymeric sand for paver joints in 1998, Techniseal® has continued to develop increasingly efficient formulas, including the RG+, HP² and now the most advanced in the world: HP NextGel™.

Techniseal® jointing sands help keep pavers looking newer, longer.

An investment in pavers adds character and value to a home. However, the erosion of joint sand and the appearance of weeds and ants can quickly create an eyesore in an otherwise beautiful outdoor space.

Techniseal® jointing sands are high-tech products that ensure the stability and durability of paver joints. Applied dry, they harden when activated with water, and retain a degree of flexibility with moisture. Unlike mortar, they resist cracking because they follow the natural movement of soil caused by moisture changes as well as freezing and thawing.

They resist erosion caused by sweeping, wind, rain, and even pressure washing. They also inhibit weed growth and resist insect infestation, leaving pavers clean at all times.





Techniseal® jointing sands contribute to LEED credits, based on the use of regional and recycled materials.

Techniseal® Jointing Technologies: Simply the best, all-around!




RG+ POLYMERIC SAND
For standard installations
Superior strength
Driveways, patios and walkways
For paver joints from 1.5 mm to 2.5 cm (1/16" to 1")

HP NEXTGEL™ SAND
Heavy-sloped and high-traffic areas
High-humidity areas and pool decks
Optimal strength
Commercial, residential and public projects
False or wide joints from 1.5 mm to 10 cm (1/16" to 4")

Ideal for natural stones, textured or clay pavers
and porcelain tiles.

RG+ and HP NextGel™ in a plastic bag are available regionally in 2016. Contact your dealer or a Techniseal® representative for more information.



*These sand colours are for reference only. Actual colour may vary. Shipping fees will be added to non-local sands.
Consult your Techniseal® dealer for product availability, pricing and delivery time.

NEW

Because Time Counts

Techniseal® Presents

NextGel™/MC

A NEW JOINTING TECHNOLOGY

- NO DUST

NO HAZE

NO WASTE

50% FASTER WETTING

40% FASTER INSTALLATION

Techniseal®, the industry leader and first developer of polymeric jointing sand, introduces NextGel™, the new generation of jointing sand.

This revolutionary technology radically transforms and improves the properties and behavior of jointing sand, resulting in the first ever true “no dust”, “no haze”, “no waste” sand for a fast and clean installation.

With NextGel™, paver installation will never be the same!

Available as of 2016 in our HP high-performance grade.
Contact your dealer or a Techniseal® representative for more information.

ERREUR DE NOM D
COULEUR



*These sand colours are for reference only. Actual colour may vary. Shipping fees will be added to non-local sands.
Consult your Techniseal® dealer for colour and product availability, pricing and delivery time.

The logo features a stylized blue circular icon composed of dots to the left of the word "Techniseal" in a bold, green, sans-serif font. Below "Techniseal" is the word "ProSeries" in a blue and white, bold, sans-serif font. A registered trademark symbol (®) is located at the top right of "Techniseal".

Techniseal®

ProSeries



service@techniseal.com
1 800 465-7325
techniseal.com

